BOXER 125 HD TECHNICAL SPECIFICATIONS





Enjoy a power packed performance

ROBUST CHASSIS



A durable chassis that outperforms across all terrains and is long lasting

SUSPENSION



Allows you to go on any terrain with any loada

LONGER SEAT



Carrying more passengers or loads to earn you more per trip

ENGINE

with optimal fuel utilization

Litalite	
Engine	4 stroke, Air cooled, single cylinder, SOHC, Single plug
Stroke	58.60 mm
Engine Displacement	124.45cc
Max. Net Power	10 Ps@7500 rpm
Max. Net Torque	10.49 Nm @ 5500 rpm
Starting	Electric Start + Kick Start
Vehicle Kerb Weight	120 kgs.
Fuel Tank Capacity	11.0 lts

CHASSIS & BODY

Frame Type		Tubular
Suspension	Front	Hydraulic (Telescopic)
	Rear	SNS
Tyre Size	Front	2.75-17"
	Rear	3.00 - 17"

FUEL TANK

Capacity

ELECTRICALS


Electrical System	12 Volts DC
Battery	12 V GAH VRLA

DIMENSIONS

Length	2016 mm	
Width	740 mm	
Height	1134 mm	
Wheel base	1285 mm	

For any Enquiries Please call Toll Free Number

Dealer's Stamp and Address:





NEW 125CC ENGINE

Low maintenance, easy to operate engine which will help you save more

ROBUST CHASSIS

A durable chassis that outperforms across all terrains and is long lasting







LONGER SEAT

Carrying more passengers or loads to earn you more per trip





STRONGER CARRIER

Enables to carry heavy loads

5TH GEAR

Move fast with 5th gear and cover more trips to earn more

